PROCEEDINGS

Mechanism of Strain Hardening Of Magnesium Single-Crystals: Discrete Dislocation Dynamics Simulations

Mao Li¹, Xiaobao Tian¹, Wentao Jiang¹, Qingyuan Wang¹, Haidong Fan^{1,*}

¹Department of Mechanics, Sichuan University, Chengdu, 610065, China *Corresponding Author: Haidong Fan. Email: hfan85@scu.edu.cn

ABSTRACT

Poor ductility heavily limits the industrial application of magnesium (Mg) alloys, and pyramidal dislocations are an important deformation mode for ductility enhancement. In this work, discrete dislocation dynamics (DDD) simulations were performed to study the mechanical behavior and dislocation evolution of Mg singlecrystals compressed along c-axis. Especially, basal-transition and cross-slip algorithms of pyramidal <c+a> dislocations were proposed and introduced in the DDD method. Simulation results show that basaltransition is an important mechanism for the strong strain hardening observed during c-axis compression of Mg single-crystals. Since the basal-transition events are thermally activated, increasing temperature leads to a high strain hardening rate. During the deformation, the <c+a> dislocations on first-order pyramidal planes mostly cross slip onto second-order pyramidal planes are mostly transited onto basal planes, while <c+a> dislocation steps observed in experiments. The current work provides new mechanisms for the pyramidal dislocations and ductility enhancement of Mg alloys.

KEYWORDS

Dislocations; magnesium; dynamics; strengthening and mechanisms; crystal plasticity

Funding Statement: The author(s) received no specific funding for this study.

Conflicts of Interest: The authors declare that they have no conflicts of interest to report regarding the present study.

